

Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 27,665 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 July and 30 September 2005 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 7,022 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 July to 30 September 2005 (Tables 4 and 5).

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:	Disease	Data received from:
Bloodborne diseases		Vaccine preventable diseases	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
Gastrointestinal diseases		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Rubella - congenital	All jurisdictions
Hepatitis A	All jurisdictions	Tetanus	All jurisdictions
Hepatitis E	All jurisdictions	Vectorborne diseases	
Listeriosis	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Salmonellosis	All jurisdictions	Flavivirus infection (NEC) [†]	All jurisdictions
Shigellosis	All jurisdictions	Dengue	All jurisdictions
SLTEC, VTEC	All jurisdictions	Japanese encephalitis virus	All jurisdictions
Typhoid	All jurisdictions	Kunjin virus	All jurisdictions
Quarantinable diseases		Malaria	All jurisdictions
Cholera	All jurisdictions	Murray Valley encephalitis virus	All jurisdictions
Plague	All jurisdictions	Ross River virus infection	All jurisdictions
Rabies	All jurisdictions	Zoonoses	
Smallpox	All jurisdictions	Anthrax	All jurisdictions
Tularemia	All jurisdictions	Australian bat lyssavirus	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Brucellosis	All jurisdictions
Yellow fever	All jurisdictions	Leptospirosis	All jurisdictions
Sexually transmissible infections		Lyssaviruses unspecified	All jurisdictions
Chlamydial infection	All jurisdictions	Ornithosis	All jurisdictions
Donovanosis	All jurisdictions	Q fever	All jurisdictions
Gonococcal infection	All jurisdictions	Other bacterial infections	
Syphilis (all)	All jurisdictions	Legionellosis	All jurisdictions
Syphilis < 2 years duration	All jurisdictions	Leprosy	All jurisdictions
Syphilis > 2 years or unspecified duration	All jurisdictions	Meningococcal infection	All jurisdictions
Syphilis - congenital	All jurisdictions	Tuberculosis	All jurisdictions

* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 July to 30 September 2005, by date of onset*

Disease	State or territory							Total 3rd quarter 2005†	Total 2nd quarter 2005	Total 3rd quarter 2004	Last 5 years mean 3rd quarter	Year to date 2005	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic							
Bloodborne diseases														
Hepatitis B (incident)	1	6	2	12	1	1	16	5	61	78	102.4	179	291.6	0.4
Hepatitis B (unspecified)	20	704	35	285	52	9	417	85	1,902	1,504	1,811.4	5,390	5,185.2	0.9
Hepatitis C (incident)	0	9	3	NN	7	1	10	20	87	128	132.0	211	388.8	0.4
Hepatitis C (unspecified)	47	1,420	59	739	87	45	721	202	3,754	3,079	4,046.8	10,647	12,437.8	0.8
Hepatitis D	0	7	0	5	0	0	0	0	4	10	8.2	20	21.2	1.5
Gastrointestinal diseases														
Botulism	0	0	0	1	0	0	0	0	1	0	0.0	3	0.3	0.0
Campylobacteriosis§	68	NN	36	1,124	392	170	1,183	463	3,521	3,766	3,603.2	11,112	10,776.8	1.0
Cryptosporidiosis	1	87	5	64	26	4	87	37	826	245	227.3	2,384	1,591.5	1.4
Haemolytic uraemic syndrome	0	1	0	1	0	0	0	1	4	4	2.4	11	7.4	1.3
Hepatitis A	0	19	23	8	4	0	15	5	86	71	108.4	241	389.2	0.7
Hepatitis E	0	2	0	2	0	0	0	0	7	5	3.8	28	13.2	1.1
Listeriosis	2	3	0	0	1	0	1	1	14	16	12.6	35	50.0	0.6
Salmonellosis (NEC)	17	277	69	352	96	19	203	142	1,960	1,171	1,089.4	5,829	5,415.4	1.1
Shigellosis	3	24	36	11	10	1	21	31	182	88	103.4	547	388.0	1.3
SLTEC, VTEC†	0	2	0	2	4	0	3	2	30	11	10.4	56	37.4	1.3
Typhoid	0	5	0	0	0	0	2	2	10	15	14.2	41	51.8	0.6
Quarantinable diseases														
Cholera	0	0	0	0	0	0	0	1	1	2	1.4	4	3.0	0.7
Plague	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Tularemia	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 July to 30 September 2005, by date of onset,*
continued

Disease	State or territory								Total 3rd quarter 2005†	Total 2nd quarter 2005	Total 3rd quarter 2004	Last 5 years mean 3rd quarter	Year to date 2005	Last 5 years YTD mean	Ratio†
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
Sexually transmissible infections															
Chlamydia infection**	172	2,372	284	2,226	528	191	1,853	1,377	10,895	8,889	6,469.6	30,203	19,173.6	1.4	
Donovanosis	0	0	1	1	0	0	0	0	2	3	4.0	9	15.0	0.5	
Gonococcal infection	13	333	314	316	63	10	277	347	2,060	1,685	1,582.0	5,776	4,975.2	1.1	
Syphilis (all)	2	224	30	71	1	10	107	58	629	589	510.2	1,708	350.2	1.0	
Syphilis < two years duration	1	29	16	30	1	2	22	4	153	166	NN	405	356.0	NN	
Syphilis > two years or unspecified duration	1	195	14	41	0	8	85	54	476	423	NN	1,303	962.0	NN	
Syphilis - congenital	0	1	0	1	3	0	2	0	6	7	3.8	20	10.4	1.8	
Vaccine preventable disease															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	0.0	
<i>Haemophilus influenzae</i> type b	0	0	1	1	0	0	0	1	1	6	6.4	11	19.2	0.5	
Influenza (laboratory confirmed)††	27	603	37	1,253	209	12	318	355	794	1,095	1,931.5	3,989	2,299.3	1.5	
Measles	0	1	0	0	0	0	0	1	2	10	18.0	9	64.4	0.1	
Mumps	0	21	1	34	2	0	5	10	74	21	29.0	195	90.2	2.5	
Pertussis	68	1,749	15	537	350	3	266	68	2,522	3,034	2,144.4	7,812	4,576.2	1.4	
Pneumococcal disease (invasive)††	4	213	24	131	44	18	90	51	455	961	852.8	1,292	1,701.3	0.7	
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0	
Rubella	0	1	0	3	0	0	1	1	15	5	48.0	27	124.6	0.1	
Rubella - congenital	0	0	0	0	0	0	1	0	0	0	0.2	1	0.8	5.0	
Tetanus	0	0	0	0	0	0	0	0	0	0	0.4	0	3.4	0.0	
Vectorborne diseases															
Barmah Forest virus infection	0	72	6	105	4	0	5	5	435	193	143.2	992	846.2	1.4	
Dengue	1	7	1	8	1	0	9	4	43	30	30.8	170	289.8	1.0	
Flavivirus infection (NEC)	0	0	0	5	0	0	1	0	8	6	10.0	23	52.0	0.6	
Japanese encephalitis virus††	0	0	0	0	0	0	0	0	0	0	0.0	0	0.4	0.0	
Kunjin virus††	0	0	0	0	0	0	0	0	0	1	0.2	1	8.0	0.0	
Malaria	2	26	10	60	10	6	23	18	167	137	149.8	670	515.6	1.0	
Murray Valley encephalitis virus††	0	0	0	0	0	0	0	0	0	0	0.2	2	2.3	0.0	
Ross River virus infection	1	71	20	117	9	0	6	19	556	152	170.8	1,715	3,036.0	1.4	

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 July to 30 September 2005, by date of onset,*
continued

Disease	State or territory								Total 3rd quarter 2005†	Total 2nd quarter 2005	Total 3rd quarter 2004	Last 5 years mean 3rd quarter	Year to date 2005	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
Zoonoses															
Anthrax	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Brucellosis	0	1	0	7	0	0	0	0	0	8	11	7.8	24	20.4	1.0
Leptospirosis	0	4	1	11	0	0	2	2	2	20	29	31.0	93	155.6	0.6
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Ornithosis	0	21	0	2	0	0	4	1	1	28	54	52.6	115	133.4	0.5
Q fever	0	24	0	16	1	0	9	2	2	52	123	139.4	244	463.0	0.4
Other bacterial infections															
Legionellosis	1	21	1	24	13	0	8	13	13	81	59	64.8	240	260.8	1.3
Leprosy	0	0	0	0	0	0	0	0	0	0	2	1.4	5	5.2	0.0
Meningococcal infection ^{††}	3	39	3	20	12	3	36	19	19	135	114	208.0	285	451.2	0.6
Tuberculosis	0	22	1	35	5	4	98	13	13	178	256	252.8	659	720.6	0.7
Total	453	8,392	1,018	7,590	1,935	507	5,800	3,360	3,360	29,055	27,665	26,193.0	93,028	78,731.6	1.1

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter.

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Notifiable from January 2001 only. Ratio and mean calculations are based the last three years.

¶ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

** Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

†† Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

Table 3. Notification rates of diseases, 1 July to 30 September 2005, by state or territory. (Rate per 100,000 population)

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	1.2	0.4	4.0	1.2	0.3	0.8	1.3	1.0	0.9
Hepatitis B (unspecified)	24.7	41.8	70.0	29.4	13.6	7.5	33.5	17.2	32.0
Hepatitis C (incident)	0.0	0.5	6.0	NN	1.8	0.8	0.8	4.0	1.2
Hepatitis C (unspecified)	58.0	84.4	118.1	76.1	22.7	37.3	58.0	40.8	66.0
Hepatitis D	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.0	0.2
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis [†]	83.9	NN	72.0	115.8	102.2	141.0	95.2	93.4	102.7
Cryptosporidiosis	1.2	5.2	10.0	6.6	6.8	3.3	7.0	7.5	6.2
Haemolytic uraemic syndrome	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.1
Hepatitis A	0.0	1.1	46.0	0.8	1.0	0.0	1.2	1.0	1.5
Hepatitis E	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.1
Listeriosis	2.5	0.2	0.0	0.0	0.3	0.0	0.1	0.2	0.2
Salmonellosis (NEC)	21.0	16.5	138.1	36.3	25.0	15.8	16.3	28.7	23.4
Shigellosis	3.7	1.4	72.0	1.1	2.6	0.8	1.7	6.3	2.7
SLTEC, VTEC [‡]	0.0	0.1	0.0	0.2	1.0	0.0	0.2	0.4	0.3
Typhoid	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.4	0.2
Quarantinable diseases									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection [§]	212.3	141.0	568.2	229.4	137.7	158.5	149.1	277.9	179.1
Donovanosis	0.0	0.0	2.0	0.1	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	16.0	19.8	628.3	32.6	16.4	8.3	22.3	70.0	33.3
Syphilis (all)	0.6	3.3	14.9	1.8	0.1	2.1	2.1	2.9	2.5
Syphilis < 2 years duration	0.3	0.4	8.0	0.8	0.1	0.4	0.4	0.2	0.5
Syphilis > 2 years or unspecified duration	0.3	2.9	7.0	1.0	0.0	1.7	1.7	2.7	2.0
Syphilis - congenital	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0

Table 3. Notification rates of diseases, 1 July to 30 September 2005, by state or territory. (Rate per 100,000 population), *continued*

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.0	2.0	0.1	0.0	0.0	0.0	0.2	0.1
Influenza (laboratory confirmed)	33.3	35.8	74.0	129.1	54.5	10.0	25.6	71.6	56.0
Measles	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0
Mumps	0.0	1.2	2.0	3.5	0.5	0.0	0.4	1.6	1.4
Pertussis	83.9	103.9	30.0	55.3	91.2	2.5	21.4	13.7	60.8
Pneumococcal disease (invasive)	4.9	12.7	48.0	13.5	11.5	14.9	7.2	10.3	11.4
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.1	0.0	0.3	0.0	0.0	0.1	0.2	0.1
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vectorborne diseases									
Barmah Forest virus infection	0.0	4.3	12.0	10.8	1.0	0.0	0.4	1.0	3.9
Dengue	1.2	0.4	2.0	0.8	0.3	0.0	0.7	0.8	0.6
Flavivirus infection (NEC)	0.0	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.1
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	2.5	1.5	20.0	6.2	2.6	5.0	1.9	3.6	3.1
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	1.2	4.2	40.0	12.1	2.3	0.0	0.5	3.8	4.8
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.1	0.0	0.7	0.0	0.0	0.0	0.0	0.2
Leptospirosis	0.0	0.2	2.0	1.1	0.0	0.0	0.2	0.4	0.4
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	1.2	0.0	0.2	0.0	0.0	0.3	0.2	0.6
Q fever	0.0	1.4	0.0	1.6	0.3	0.0	0.7	0.4	1.0
Other bacterial infections									
Legionellosis	1.2	1.2	2.0	2.5	3.4	0.0	0.6	2.6	1.6
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infection	3.7	2.3	6.0	2.1	3.1	2.5	2.9	3.8	2.7
Tuberculosis	0.0	1.3	2.0	3.6	1.3	3.3	7.9	2.6	3.5

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 July to 30 September 2005, and total reports for the year[†]

	State or territory								This period 2005	This period 2004	Year to date 2005	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps rubella												
Measles virus	–	–	–	1	–	–	–	–	1	8	4	21
Mumps virus	–	–	–	2	2	–	2	1	7	2	25	5
Rubella virus	–	–	–	2	–	–	1	–	3	3	10	11
Hepatitis viruses												
Hepatitis A virus	–	3	–	5	12	–	–	1	21	17	38	36
Hepatitis D virus	–	–	–	1	4	–	1	–	6	4	12	7
Hepatitis E virus	–	–	–	2	–	–	–	–	2	2	11	13
Arboviruses												
Ross River virus	–	–	9	21	13	–	3	5	51	26	333	707
Barmah Forest virus	–	1	–	21	6	–	–	–	28	42	158	168
Flavivirus (unspecified)	–	–	–	7	–	–	2	–	9	16	29	94
Adenoviruses												
Adenovirus type 1	–	–	–	–	–	–	5	–	5		6	
Adenovirus not typed/pending	–	74	–	26	100	–	11	1	212	344	497	793
Herpesviruses												
Cytomegalovirus	1	85	4	13	192	2	20	–	317	215	728	614
Varicella-zoster virus	3	43	1	211	110	3	9	–	380	664	1,110	1,517
Epstein-Barr virus	–	27	27	209	187	–	8	101	559	687	1,540	1,855
Other DNA viruses												
Poxvirus group not typed	–	–	–	–	–	–	1	–	1		2	2
Parvovirus	–	3	–	20	14	–	7	–	44	166	123	284
Picornavirus family												
Coxsackievirus A16	–	2	–	–	–	–	–	–	2		5	5
Echovirus type 7	–	1	–	–	–	–	–	–	1		7	1
Echovirus type 11	–	1	–	–	–	–	–	–	1	8	4	14
Echovirus type 18	–	3	–	–	–	–	–	–	3	2	13	5
Echovirus type 30	1	11	–	–	–	–	–	–	12	2	31	6
Poliovirus type 1 (uncharacterised)	–	15	–	–	–	–	–	–	15	9	19	15
Poliovirus type 2 (uncharacterised)	–	12	–	–	–	–	–	–	12	5	18	13
Poliovirus type 3 (uncharacterised)	–	4	–	–	–	–	–	–	4	5	6	6
Rhinovirus (all types)	–	63	–	–	11	–	1	–	75	242	246	429
Enterovirus type 71 (BCR)	–	1	–	–	–	–	–	–	1	1	3	3
Enterovirus not typed/pending	1	57	–	8	7	1	2	–	76	46	141	133

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 July to 30 September 2005, and total reports for the year,† continued

	State or territory								This period 2005	This period 2004	Year to date 2005	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Ortho/ paramyxoviruses												
Influenza A virus	–	136	2	75	244	–	57	–	514	284	634	355
Influenza A virus H3N2	–	1	–	–	–	–	1	–	2		2	
Influenza B virus	–	30	–	18	80	–	16	–	144	93	226	130
Parainfluenza virus type 1	–	8	–	1	5	–	3	–	17	34	45	131
Parainfluenza virus type 2	–	6	–	–	6	–	1	–	13	5	46	11
Parainfluenza virus type 3	–	58	–	5	100	1	10	–	174	230	272	427
Respiratory syncytial virus	1	279	–	87	230	34	82	1	714	1,092	1,545	2,485
Other RNA viruses												
HTLV-1	–	–	–	–	3	–	–	–	3	7	6	13
Rotavirus	–	327	1	–	352	5	69	–	754	451	992	621
Norwalk agent	–	–	–	–	–	–	68	–	68	294	163	491
Other												
<i>Chlamydia trachomatis</i> not typed	–	170	4	611	433	12	6	–	1,236	1,583	3,775	4,015
<i>Chlamydia pneumoniae</i>	–	2	–	–	–	–	–	–	2	3	6	7
<i>Chlamydia psittaci</i>	–	1	–	–	1	–	6	–	8	29	38	138
<i>Mycoplasma pneumoniae</i>	–	40	7	170	100	22	54	30	423	382	925	1,043
<i>Mycoplasma hominis</i>	–	2	–	–	–	–	–	–	2	3	4	4
<i>Coxiella burnetii</i> (Q fever)	1	2	–	7	11	–	13	–	34	42	120	122
<i>Rickettsia prowazeki</i>	–	–	–	–	62	–	–	–	62	33	116	33
<i>Orientia tsutsugamushi</i>	–	–	–	–	27	–	–	–	27	21	46	22
<i>Rickettsia</i> - spotted fever group	–	–	–	–	80	1	–	–	81	50	178	50
<i>Streptococcus</i> group A	–	3	–	144	–	–	33	–	180	137	422	360
<i>Brucella abortus</i>	–	1	–	–	1	–	–	–	2	1	3	5
<i>Brucella</i> species	–	4	–	2	–	–	–	–	6	2	9	5
<i>Bordetella pertussis</i>	1	30	1	48	257	–	65	–	402	491	1,153	759
<i>Bordetella parapertussis</i>	–	–	–	–	–	–	2	–	2		2	1
<i>Legionella pneumophila</i>	–	1	–	–	1	–	1	–	3	12	17	65
<i>Legionella longbeachae</i>	–	–	–	–	16	–	2	–	18	21	37	59
<i>Cryptococcus</i> species	–	–	–	2	2	–	–	–	4	9	29	32
<i>Leptospira</i> species	–	1	–	5	1	–	–	–	7	3	23	19

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 July to 30 September 2005, and total reports for the year,† *continued*

	State or territory								This period 2005	This period 2004	Year to date 2005	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<i>Treponema pallidum</i>	–	59	2	110	83	–	–	–	254	295	835	910
<i>Entamoeba histolytica</i>	–	–	–	2	–	–	2	–	4	4	12	9
<i>Toxoplasma gondii</i>	–	7	–	2	2	–	–	–	11	10	31	27
<i>Echinococcus granulosus</i>	–	–	–	–	3	–	–	–	3	5	8	12
Total	9	1,574	58	1,838	2,758	81	564	140	7,022	8,142	16,839	19,118

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 July to 30 September 2005*

State or territory	Laboratory	July 2005	August 2005	September 2005	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	153	148	133	434
	New Children's Hospital, Westmead	167	162	131	460
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	–	–	–	–
	South West Area Pathology Service, Liverpool	190	207	229	626
Queensland	Queensland Medical Laboratory, West End	566	738	630	1,934
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	786	1,066	904	2,756
Tasmania	Northern Tasmanian Pathology Service, Launceston	37	22	20	79
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	89	32	36	157
	Royal Children's Hospital, Melbourne	52	82	81	215
	Victorian Infectious Diseases Reference Laboratory, Fairfield	68	38	78	184
Western Australia	PathCentre Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	26	103	48	177
Total		2,134	2,598	2,290	7,022

* The complete list of laboratories reporting for the 12 months, January to December 2005, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.